

# ATTRACTION

## Twin walled drawer

Twin-walled steel drawer with a complete range of concealed runners. INDAmatic gradual soft closing system incorporated.



INDAmatic



# FULL EXTENSION

ATTRACTION drawer with telescopic runner enabling full extension in order to make full use of the drawer's capacity. Suitable for large drawers.

Also available with single extension runners.





# INNER DRAWERS


Inner drawers concealed behind doors optimize the cabinet volume utilisation. Used as a visible option, the drawer front is aligned with the cabinet side, creating a harmonized view.



# RANGE CONTENT


## LOW DRAWER

- ... with steel back
- ... with wooden back
- ... with a cutlery tray
  - + knife holder
  - + spice holder




## PAN DRAWER WITH EXTENSION SIDES

- ... with steel back
- ... with wooden back
- ... with pan dividers




**PAN DRAWER WITH RAILS**

- ... with steel back
- ... with wooden back
- ... with pan dividers




**INNER DRAWER**

- ... with steel back
- ... with wooden back
- ... with a cutlery tray



**HIGH INTERIOR DRAWER WITH ENCLOSURES**


- ... with steel back
- ... with wooden back
- ... with pan dividers




# COMPONENTS

## DRAWER BREAKDOWN


*Double walled high fronted drawer parts*




*Tubular high fronted drawer*



*Low fronted drawer*




■ Lower front drawer




Drawer sides

Depth	White	Stainless steel	Metal grey	Anthracite	
270	657.027.136	657.027.103	657.027.140	657.027.836	20
350	657.035.131	657.035.105	657.035.142	657.035.831	
400	657.040.134	657.040.101	657.040.145	657.040.834	
480	657.048.136	657.048.103	657.048.140	657.048.836	
600	657.060.132	657.060.106	657.060.143	657.060.832	



Low steel back


Cabinet width	White	Metal grey	Anthracite	
300	657.230.136	657.230.140	657.230.836	20
350	657.235.132	657.235.143	657.235.832	
400	657.240.135	657.240.146	657.240.835	
450	657.245.131	657.245.142	657.245.831	
500	657.250.134	657.250.145	657.250.834	
550	657.255.130	657.255.141	657.255.830	
600	657.260.133	657.260.144	657.260.833	
700	657.270.132	657.270.143	657.270.832	
800	657.280.131	657.280.142	657.280.831	
900	657.290.130	657.290.141	657.290.830	
1000	657.291.132	657.291.143	657.291.832	
1200	657.299.134	657.299.145	657.299.834	




Adapter for low back (wooden back).

Cabinet width	White	Nickel-plated*	Metal grey	Anthracite	
1 set	657.700.131	657.700.061	657.700.142	657.700.831	40

(\*) For stainless steel drawer sides.




■ High front drawer




Drawer sides

Depth	White	Stainless steel	Metal grey	Anthracite	
270	657.027.136	657.027.103	657.027.140	657.027.836	
350	657.035.131	657.035.105	657.035.142	657.035.831	
400	657.040.134	657.040.101	657.040.145	657.040.834	20
480	657.048.136	657.048.103	657.048.140	657.048.836	
600	657.060.132	657.060.106	657.060.143	657.060.832	



High steel back

Cabinet width	White	Nickel-plated**	Metal grey	Anthracite	
300	657.330.133	657.330.063	657.330.144	657.330.833	
350	657.335.136	657.335.066	657.335.140	657.335.836	
400	657.340.132	657.340.062	657.340.143	657.340.832	
450	657.345.135	657.345.065	657.345.146	657.345.835	
500	657.350.131	657.350.061	657.350.142	657.350.831	20
550	657.355.134	657.355.064	657.355.145	657.355.834	
600	657.360.130	657.360.060	657.360.141	657.360.830	
700	657.370.136	657.370.066	657.370.140	657.370.836	
800*	657.380.135	657.380.065	657.380.146	657.380.835	
900*	657.390.134	657.390.064	657.390.145	657.390.834	
1000*	657.391.136	657.391.066	657.391.140	657.391.836	
1200*	657.399.131	657.399.061	657.399.142	657.399.831	




Twin walled or tubular.

(\*) With drawer lateral stabilizer fixing.

(\*\*) For stainless steel drawers.

Tubular rails

Depth	White	Silver matt anodized*	Metal grey	Anthracite	
270	660.127.134	660.127.064	660.127.145	660.127.834	
350	660.135.136	660.135.166	660.135.140	660.135.836	
400	660.140.132	660.140.062	660.140.143	660.140.832	20
480	660.148.134	660.148.064	660.148.145	660.148.834	
600	660.160.130	660.160.060	660.160.141	660.160.830	




Each reference consists of 2 screws, 2 connectors, 2 covers, 2 rails and 2 rear fixing devices.

(\*) For stainless steel drawers.

Double walled rails

Depth	White	Stainless steel	Metal grey	Anthracite	
270	658.327.132	658.327.106	658.327.143	658.327.832	
350	658.335.134	658.335.101	658.335.145	658.335.834	
400	658.340.130	658.340.104	658.340.141	658.340.830	20
480	658.348.132	658.348.106	658.348.143	658.348.832	
600	658.360.135	658.360.102	658.360.146	658.360.835	



Referenced by pair.

Double walled rail front bracket. Quick assembly

			
1 set	658.100.100	100	

Each reference consists of 2 brackets with expand dowels.



Double walled rail front bracket. Screw mounting

			
1 set	658.150.102	100	


Each reference consists of 2 brackets.



Adapter for high back (wooden back)

Cabinet width	White	Nickel-plated*	Metal grey	Anthracite	
1 set	657.800.135	657.800.065	657.800.146	657.800.835	40

Double walled or tubular.  
(\* ) For stainless steel drawers.




Components

Full extension runner.

Depth	Thickness 16		Thickness 19		
	INDAmatic		INDAmatic		
270	659.527.035	661.727.032			
350	659.535.030	661.735.034			
400	659.540.033	661.740.030			10
480	659.548.035	661.748.032			
600	659.560.031	661.760.035			

Full extension runners always equipped with INDAmatic gradual closing, premounted.



Drawer side front bracket. Quick assembly

			
1 set	658.000.103	100	

Each reference consists of 2 brackets with expand dowels.



Drawer side front bracket. Screw mounting

			
1 set	658.050.105	100	


Each reference consists of 2 brackets.




Cover caps

	White RAL 9003	Grey	
Without print	657.900.132	657.900.143	100
With INDAUX logo	695.024.131	695.024.142	

Each reference consists of 2 caps.



■ Drawer kit




Full extension runner kit with adaptable back:

Low drawer kit.

Module	Metallic grey	Anthracite	
270	655.627.140		160
350	655.635.142		
400	655.640.145		
480	655.648.140	655.648.836	


- Each reference is made up of:
- 1 Set of runners (Full extension with **INDAmatic** gradual soft-closing system)
  - 2 Drawer sides
  - 2 Wood adaptors for low backs
  - 2 Front fixing brackets (m/screws)
  - 2 Covers
  - 1 Page with assembly instructions



Pan drawer kit with tubes.

Module	Metallic grey	Anthracite	
270	655.727.144		160
350	655.735.146		
400	655.740.142		
480	655.748.144	655.748.833	


- Each reference is made up of:
- 1 Set of runners (Full extension with **INDAmatic** gradual soft-closing system)
  - 2 Drawer sides
  - 2 Wood adaptors for high backs
  - 2 Lateral tubes with corresponding fixing brackets and caps
  - 2 Front fixing brackets (m/screws)
  - 2 Covers
  - 1 Page with assembly instructions




Basic Kit for 16 mm thickness

Depth	Metal grey	
480	656.148.146	160

- Each reference consists of:
- 1 Set of full extension runner with **INDAmatic** gradual soft-closing premounted
  - 1 set of drawer sides,
  - 1 set of front brackets, screw mounting,
  - 2 cover caps,
  - 1 assembly instructions with template.



Inner drawer



Lower front inner drawer.

Cabinet width	Stainless steel	Metal grey	Anthracite	
300	660.230.104	660.230.141	660.230.830	
350	660.235.100	660.235.144	660.235.833	
400	660.240.103	660.240.140	660.240.836	
450	660.245.106	660.245.143	660.245.832	
500	660.250.102	660.250.146	660.250.835	
600	660.260.101	660.260.145	660.260.834	20
700	660.270.100	660.270.144	660.270.833	
800	660.280.106	660.280.143	660.280.832	
900	660.290.105	660.290.142	660.290.831	
1000	660.291.100	660.291.144	660.291.833	
1200	660.299.102	660.299.146	660.299.835	

Each reference delivered complete and preassembled.

Higher front inner drawer.

Cabinet width	Stainless steel	Metal grey	Anthracite	
300	660.330.101	660.330.145	660.330.834	
350	660.335.104	660.335.141	660.335.830	
400	660.340.100	660.340.144	660.340.833	
450	660.345.103	660.345.140	660.345.836	
500	660.350.106	660.350.143	660.350.832	
600	660.360.105	660.360.142	660.360.831	20
700	660.370.104	660.370.141	660.370.830	
800	660.380.103	660.380.140	660.380.836	
900	660.390.102	660.390.146	660.390.835	
1000	660.391.104	660.391.141	660.391.830	
1200	660.399.106	660.399.143	660.399.832	

Each reference delivered complete and preassembled.

Double walled rails for inner drawers.

Depth	Stainless steel	Metal grey	Anthracite	
270	658.227.102	658.227.146	658.227.835	
350	658.238.104	658.235.141	658.235.830	
400	658.240.100	658.240.144	658.240.833	20
480	658.248.102	658.248.146	658.248.835	
600	658.260.105	658.260.142	658.260.831	

Each reference consists of one complete set.


Inner drawer hinge.

		
Half overlay 165° opening	323.410.065	25




Screw-fix base plate for use with inner drawer hinge.

Height	Steel nickel plated	
0mm	350.210.066	25
2mm	350.212.063	


This hinge allows the inner drawer to be fully extended avoiding any door contact.



**NOTE**  
to clip off the inner drawer front remove both cover caps and release the locking device.




Calculation of the height of the plate  
 $C = B + K - D$   
 $K = \text{Constant} = 10,5\text{mm}$



### 3 ACCESSORIES

#### Under-sink drawer




**Note**  
Drawer sides are the standard "ATTRACTION"

#### Under-sink bucket

	Dividers	grey RAL 40.00	
A - Small 205x150x180	-	689.915.140	
B - Medium 460x155x180	2	689.916.146	10
C - Large 460x205x180	2	689.920.140	


Each reference consists of 1 bucket, dividers and 1 latch with 1 screw.




#### Drawer side covering cap.

Depth of the drawer side	grey RAL 40.00	
480	689.748.146	
600	689.760.142	5

Each reference consists of 1 set of caps (left + right).




#### Example of configurations:




Under-sink drawer

Cut of the wooden side




Bucket



	L length	W width	H height
a - small	205	150	180
b - medium	460	155	180
c - large	460	205	180

Assembly



■ Accessories for high front drawers

Single: Cooking utensils & provisions.

Cross dividers for high front drawers.


Cabinet width	Sides	Joining bracket	Divider	Stainless steel	Metal grey	Anthracite	
300	3	6	7	660.630.106	660.630.143	660.630.832	
350	3	6	9	660.635.102	660.635.146	660.635.835	
400	3	6	9	660.640.105	660.640.142	660.640.831	
450	3	6	9	660.645.101	660.645.145	660.645.834	
500	2	4	8	660.650.104	660.650.141	660.650.830	10*
600	2	4	8	660.660.103	660.660.140	660.660.836	
700	2	4	8	660.670.102	660.670.146	660.670.835	
800	2	4	12	660.680.101	660.680.145	660.680.834	
900	2	4	12	660.690.100	660.690.144	660.690.833	
1000	2	4	16	660.691.102	660.691.146	660.691.836	
1200	2	4	16	660.699.104	660.699.141	660.699.830	

Each reference consists of 1 set of cross divider + connectors + lateral dividers. All unassembled

\*10 sets in 2 boxes:

Box a: 10 sets connectors & lateral dividers

Box b: 10 sets of cross dividers



**PLEASE NOTE**


These accessories are ideal for the storing of pots and pans, as well as storage jars..

Tubular cross divider.

Cabinet width	Divider tube	Abrazadera	Divider	Aluminium matt silver*	Grey	Anthracite	
300	6	6	7	660.030.066	660.030.140	660.030.836	
350	6	6	9	660.035.062	660.035.143	660.035.832	
400	6	6	9	660.040.065	660.040.146	660.040.835	
450	6	6	9	660.045.061	660.045.142	660.045.831	
500	4	4	8	660.050.064	660.050.145	660.050.834	10
600	4	4	8	660.060.063	660.060.144	660.060.833	
700	4	4	8	660.070.062	660.070.143	660.070.832	
800	4	4	12	660.080.061	660.080.142	660.080.831	
900	4	4	12	660.090.060	660.090.141	660.090.830	
1000	4	4	16	660.091.062	660.091.143	660.091.832	
1200	4	4	16	660.099.064	660.099.145	660.099.834	

Each reference consists of 1set of cross dividers + corner joining brackets+ bottle dividers. All unassembled

(\*) For stainless steel drawers



■ Cutlery tray, knife tray and spice rack

480 mm deep cutlery tray with dividers.

Cabinet width	Short divider	Long divider	Metal grey	
300	3	-	659.630.145	
350	2	2	659.635.141	
400	2	2	659.640.144	
450	3	2	659.645.140	10
500	3	2	659.650.143	
600	4	2	659.660.142	
800	9	4	659.680.140	
900	9	4	659.690.146	
1000	9	4	659.691.141	
1200	12	5	659.699.143	




Each reference consists of 1 cutlery tray + bag of dividers.

500 mm deep cutlery tray, for interior drawer with dividers.

Cabinet width	Short divider	Long divider	Metal grey	
600	4	2	665.160.145	10
900	9	4	665.190.142	


Knife holder.

	Anodized matt silver	
1 piece	656.900.101	1



Spice holder.


	Anodized matt silver	
1 piece	656.950.103	1




4 TECHNICAL INFORMATION

Drawer base dimensions

Base




Back



■ Drilling and positioning for the drawer runner




Full extension runner




\* 270 mm runner needs a free cabinet depth of 311 mm.

Drawer with front panel




Inner drawer



Nominal Depth	A	Nominal Depth	A
270	313	270	322
350	360	350	369
400	410	400	419
480	490	480	499
600	610	600	619


PLEASE NOTE: Move the runner backwards using the alternative hole.

Inner drawer



**PLEASE NOTE**  
Move the runner backwards using the alternative hole.

Specific case:  
Drawer with damper




**PLEASE NOTE**  
Do not use dampers or similar on runners equipped with cushioning systems.


■ Drilling for the drawer front



*Low front drawer with full extension runner*





*Pan drawer with full extension runner*



■ Drawer assembly



*Drawer assembly*

Quick and simple manual assembly. Place the drawer on the runners and close it. The drawer itself will automatically clip on to the runner.



*Drawer removal*


To remove, simultaneously press both tabs as shown, and pull out the drawer.



■ Drawer assembly


*Drawer front assembly*

Gently insert the drawer front hooks, into their slots. A spring will drive it to its final position.



*Front alignment*

Adjust as shown below.



*Drawer front unassembly*

To remove tilt down and pull out.

