

FLOORPAN ARTFLOOR



microliv4
V-groove



LET'S DESIGN



SUN

FLOORPAN
Laminat Parke / Laminate Flooring

ARTFLOOR
Laminat Parke / Laminate Flooring



bridging **nature and life**

FLOORPAN ARTFLOOR



NEW

AU036
New York
SUN

8 mm AC3 31 CLASS

bridging **nature and life**

FLOORPAN ARTFLOOR



FS040 \ N03
JAKARTA MERBEU

8
mm


AC3 31 CLASS

SUN

bridging nature and life

ARTFLOOR FLOORPAN

NEW



AS040
JAKARTA MERBEU

8
mm

AC4 32 CLASS

SUN

15 YEARS
DOMESTIC USE
GUARANTEE



AC4

bridging **nature and life**

FLOORPAN ARTFLOOR




C53
ULUDAG
SUN

8
mm

AC3 31 CLASS

bridging **nature and life**

FLOORPAN ARTFLOOR



C70
BAROK TIMB
SUN


8
mm

AC3 31 CLASS

bridging nature and life

ARTFLOOR FLOORPAN

NEW



AS070
BAROK TIMB
SUN

8 mm AC4 32 CLASS

15 YEARS
DOMESTIC USE
GUARANTEE



32

AC4

bridging **nature and life**

FLOORPAN ARTFLOOR



FS007
ERCIYES
SUN

8
mm

AC3 31 CLASS

bridging **nature and life**

FLOORPAN ARTFLOOR



C61
TORONTO PINE
SUN

8
mm

AC3 31 CLASS



bridging **nature and life**

FLOORPAN ARTFLOOR



C74
GARDA TIMB
SUN

8
mm

AC3 31 CLASS

bridging nature and life

FLOORPAN ARTFLOOR



FS042
ELEGANS OAK
SUN

8
mm

AC3 CLASS 31

bridging **nature and life**

FLOORPAN ARTFLOOR

NEW



FS045
Muğla Oak
SUN

8
mm

AC3 CLASS 31

bridging **nature and life**

FLOORPAN ARTFLOOR



NEW

FS048
Petra Oak
SUN

8 mm AC3 CLASS 31

bridging **nature and life**

FLOORPAN ARTFLOOR

NEW



FS008
Gold Pine
SUN

8
mm

AC3 CLASS 31

bridging **nature and life**

FLOORPAN ARTFLOOR



FS032
GREY OAK
SUN

8
mm

AC3 31 CLASS

bridging **nature and life**

FLOORPAN ARTFLOOR



FS020
CAMEL OAK
SUN

8
mm

AC3 31 CLASS

bridging **nature and life**

ARTFLOOR FLOORPAN

NEW



AS020
CAMEL OAK
SUN

8 mm AC4 32 CLASS

15 YEARS
DOMESTIC USE
GUARANTEE

 32

AC4

bridging **nature and life**

FLOORPAN ARTFLOOR



FS019

INEBOLU

SUN

8
mm

AC3 31 CLASS

bridging nature and life

FLOORPAN ARTFLOOR



FS027
ASTANA WALNUT
SUN

8
mm

AC3 31 CLASS

bridging **nature and life**

ARTFLOOR FLOORPAN

NEW



AS027
ASTANA WALNUT
SUN

8
mm

AC4 32 CLASS

15 YEARS
DOMESTIC USE
GUARANTEE



AC4

bridging **nature and life**

FLOORPAN ARTFLOOR



FS023
GREY WALNUT
SUN

8
mm

AC3 31 CLASS

bridging **nature and life**

FLOORPAN ARTFLOOR



FS028


Bugday Mese

SUN

8
mm

AC3 31 CLASS

bridging **nature and life**



ARTFLOOR FLOORPAN

NEW



AS028
Bugday Mese
SUN

8
mm

AC4 32 CLASS

15 YEARS
DOMESTIC USE
GUARANTEE




32


AC4

bridging **nature and life**


THE ADVANTAGES OF FLOORPAN LAMINATE FLOORING




FAST AND EASY ASSEMBLY



SUITABLE FOR UNDERFLOOR HEATING



RESISTANT TO UV RAYS




RESISTANT TO POINT STRIKES



ENVIRONMENTALLY FRIENDLY



BASE PANEL, HIGH DENSITY FIBERBOARD



RESISTANT TO CIGARETTE FIRE



RESISTANT TO SCRATCH




EASILY CLEANED AND MAINTAINED, HYGIENIC



NOT AFFECTED BY STAINS



RESISTANT TO FURNITURE WHEEL ABRASION



E1 GRADE

LAMINATE FLOORING CLASSIFICATION

CLASS	21	22	23	31	32	33	34
UTILIZATION	AC1A	C2	AC3		AC4	AC5A	C6
ABRASION RESISTANCE	≥ 500	≥ 1000	≥ 2000		≥ 4000	≥ 6000	≥ 8500
RESISTANCE TO STAINS	Min. 4 (group 1 and 2) Min. 3 (group 3)		Min. 5 (group 1 and 2) Min. 4 (group 3)			Min. 5 (group 1,2 and 3)	



CLASSIC

FLOORPAN
Laminat Parke / Laminate Flooring

ARTFLOOR
Laminat Parke / Laminate Flooring



bridging **nature and life**

FLOORPAN ARTFLOOR



C73


Gokova

CLASSIC

8
mm

AC4 32 CLASS

bridging nature and life



FLOORPAN ARTFLOOR



C55

ASH OAK

CLASSIC

8
mm

AC4 32 CLASS

bridging nature and life

FLOORPAN ARTFLOOR



C03
NATURAL OAK
CLASSIC

8 mm AC4 32 CLASS

bridging nature and life

FLOORPAN ARTFLOOR




C47

OPAK MESE- CORP OAK

CLASSIC

8
mm

AC4 32 CLASS



bridging **nature and life**

FLOORPAN ARTFLOOR



C66
ALASKA OAK
CLASSIC

8
mm

AC4 32 CLASS

bridging **nature and life**

FLOORPAN ARTFLOOR



C62

ATLAS

CLASSIC

8
mm

AC4 32 CLASS

bridging nature and life

FLOORPAN ARTFLOOR



C48

ASSOS OAK

CLASSIC

8
mm

AC4 32 CLASS

bridging **nature and life**

FLOORPAN ARTFLOOR



C84
JAWA


CLASSIC

8
mm


AC4 32 CLASS

bridging **nature and life**


THE ADVANTAGES OF FLOORPAN LAMINATE FLOORING




FAST AND EASY ASSEMBLY




SUITABLE FOR UNDERFLOOR HEATING



RESISTANT TO UV RAYS




RESISTANT TO POINT STRIKES



ENVIRONMENTALLY FRIENDLY




BASE PANEL, HIGH DENSITY FIBERBOARD



RESISTANT TO CIGARETTE FIRE



RESISTANT TO SCRATCH



EASILY CLEANED AND MAINTAINED, HYGIENIC



NOT AFFECTED BY STAINS



RESISTANT TO FURNITURE WHEEL ABRASION



E1 GRADE

LAMINATE FLOORING CLASSIFICATION

CLASS	21	22	23	31	32	33	34
UTILIZATION	AC1A	C2	AC3		AC4	AC5A	C6
ABRASION RESISTANCE	≥ 500	≥ 1000	≥ 2000		≥ 4000	≥ 6000	≥ 8500
RESISTANCE TO STAINS	Min. 4 (group 1 and 2) Min. 3 (group 3)		Min. 5 (group 1 and 2) Min. 4 (group 3)			Min. 5 (group 1, 2 and 3)	



SUNEX

FLOORPAN

Laminat Parke / Laminate Flooring

ARTFLOOR

Laminat Parke / Laminate Flooring



bridging **nature and life**

FLOORPAN ARTFLOOR



FSX08
BRONZE OAK
SUNEX

8
mm

AC3 31 CLASS
V GROOVE



bridging **nature and life**

FLOORPAN ARTFLOOR



FSX04
ASTANA WALNUT
SUNEX

8
mm

AC3 31 CLASS
V GROOVE



bridging **nature and life**

FLOORPAN ARTFLOOR



FSX03
CUBA OAK
SUNEX


8
mm

AC3 31 CLASS
V GROOVE




bridging **nature and life**


THE ADVANTAGES OF FLOORPAN LAMINATE FLOORING




FAST AND EASY ASSEMBLY



SUITABLE FOR UNDERFLOOR HEATING



RESISTANT TO UV RAYS




RESISTANT TO POINT STRIKES



ENVIRONMENTALLY FRIENDLY




BASE PANEL, HIGH DENSITY FIBERBOARD



RESISTANT TO CIGARETTE FIRE



RESISTANT TO SCRATCH




EASILY CLEANED AND MAINTAINED, HYGIENIC



NOT AFFECTED BY STAINS



RESISTANT TO FURNITURE WHEEL ABRASION



E1 GRADE

LAMINATE FLOORING CLASSIFICATION

CLASS	21	22	23	31	32	33	34
UTILIZATION	AC1A	C2	AC3		AC4	AC5A	C6
ABRASION RESISTANCE	≥ 500	≥ 1000	≥ 2000		≥ 4000	≥ 6000	≥ 8500
RESISTANCE TO STAINS	Min. 4 (group 1 and 2) Min. 3 (group 3)		Min. 5 (group 1 and 2) Min. 4 (group 3)				Min. 5 (group 1,2 and 3)



URBAN

FLOORPAN

Laminat Parke / Laminate Flooring

ARTFLOOR

Laminat Parke / Laminate Flooring



mikro
derzli



bridging **nature and life**

FLOORPAN ARTFLOOR



FU002

SIDNEY

URBAN

8
mm

AC4 32 CLASS
V GROOVE



bridging nature and life

FLOORPAN ARTFLOOR



FU003
CHICAGO

URBAN

8
mm

AC4 32 CLASS
V GROOVE



bridging **nature and life**

FLOORPAN ARTFLOOR



FU016
NAIROBI

URBAN

8
mm

AC4 32 CLASS
V GROOVE



bridging nature and life

FLOORPAN ARTFLOOR



FU011
Moscow

URBAN

8
mm

AC4 32 CLASS
V GROOVE



bridging nature and life

FLOORPAN ARTFLOOR



FU017
BOURNEO
URBAN

8
mm

AC4 32 CLASS
V GROOVE



bridging **nature and life**

FLOORPAN ARTFLOOR



FU008

SHANGHAI


URBAN

8
mm

AC4 32 CLASS
V GROOVE



bridging **nature and life**



FLOORPAN ARTFLOOR



FU018
KARTACA

URBAN

8
mm

AC4 32 CLASS
V GROOVE



bridging nature and life

FLOORPAN ARTFLOOR



AU015
PRAG

URBAN

8
mm

AC4 32 CLASS
V GROOVE



bridging nature and life

FLOORPAN ARTFLOOR



FU006
TOKYO

URBAN

8
mm

AC4 32 CLASS
V GROOVE



bridging nature and life

FLOORPAN ARTFLOOR



FU007
PEKING

URBAN


8
mm

AC4 32 CLASS
V GROOVE




bridging nature and life


THE ADVANTAGES OF FLOORPAN LAMINATE FLOORING




FAST AND EASY ASSEMBLY




SUITABLE FOR UNDERFLOOR HEATING



RESISTANT TO UV RAYS




RESISTANT TO POINT STRIKES



ENVIRONMENTALLY FRIENDLY




BASE PANEL, HIGH DENSITY FIBERBOARD



RESISTANT TO CIGARETTE FIRE



RESISTANT TO SCRATCH




EASILY CLEANED AND MAINTAINED, HYGIENIC



NOT AFFECTED BY STAINS



RESISTANT TO FURNITURE WHEEL ABRASION



E1 GRADE

LAMINATE FLOORING CLASSIFICATION

CLASS	21	22	23	31	32	33	34
UTILIZATION	AC1A	C2	AC3		AC4	AC5A	C6
ABRASION RESISTANCE	≥ 500	≥ 1000	≥ 2000		≥ 4000	≥ 6000	≥ 8500
RESISTANCE TO STAINS	Min. 4 (group 1 and 2) Min. 3 (group 3)		Min. 5 (group 1 and 2) Min. 4 (group 3)			Min. 5 (group 1, 2 and 3)	



PRIME

FLOORPAN
Laminat Parke / Laminate Flooring

ARTFLOOR
Laminat Parke / Laminate Flooring



bridging **nature and life**

FLOORPAN ARTFLOOR



R08
BOSPHORUS
PRIME

8
mm

AC4 32 CLASS
V GROOVE



bridging **nature and life**

FLOORPAN ARTFLOOR



R010

AKASHI

PRIME

8
mm

AC4 32 CLASS
V GROOVE



bridging nature and life

FLOORPAN ARTFLOOR



FR012
RIALTO
PRIME

8
mm

AC4 32 CLASS
V GROOVE

bridging **nature and life**

FLOORPAN ARTFLOOR



R015
HARBOUR
PRIME

8
mm

AC4 32 CLASS
V GROOVE



bridging **nature and life**

FLOORPAN ARTFLOOR



R013
NORMANDY
PRIME

8
mm

AC4 32 CLASS
V GROOVE



bridging **nature and life**

FLOORPAN ARTFLOOR




FR011
GOLDEN GATE
PRIME

8
mm

AC4 32 CLASS
V GROOVE



bridging **nature and life**



FLOORPAN ARTFLOOR




FR014
ERASMUS
PRIME

8
mm


AC4 32 CLASS
V GROOVE




bridging **nature and life**




THE ADVANTAGES OF FLOORPAN LAMINATE FLOORING




FAST AND EASY ASSEMBLY



SUITABLE FOR UNDERFLOOR HEATING



RESISTANT TO UV RAYS




RESISTANT TO POINT STRIKES



ENVIRONMENTALLY FRIENDLY




BASE PANEL, HIGH DENSITY FIBERBOARD



RESISTANT TO CIGARETTE FIRE



RESISTANT TO SCRATCH



EASILY CLEANED AND MAINTAINED, HYGIENIC



NOT AFFECTED BY STAINS



RESISTANT TO FURNITURE WHEEL ABRASION



E1 GRADE

LAMINATE FLOORING CLASSIFICATION

CLASS	21	22	23	31	32	33	34
UTILIZATION	AC1A	C2	AC3		AC4	AC5A	C6
ABRASION RESISTANCE	≥ 500	≥ 1000	≥ 2000		≥ 4000	≥ 6000	≥ 8500



NATURAL

FLOORPAN
Laminat Parke / Laminate Flooring

ARTFLOOR
Laminat Parke / Laminate Flooring



mikro
derzli



bridging **nature and life**

FLOORPAN ARTFLOOR



N14
ANTIQUE WHITE
NATURAL

10 mm

AC4 32 CLASS
V GROOVE



bridging **nature and life**

FLOORPAN ARTFLOOR



N18
SAND OAK
NATURAL

10
mm

AC4 32 CLASS
V GROOVE



bridging **nature and life**

FLOORPAN ARTFLOOR



FN009

LEFKAS OAK


NATURAL

10
mm

AC4 32 CLASS
V GROOVE



bridging **nature and life**



FLOORPAN ARTFLOOR



N03
JAKARTA MERBEU
NATURAL

10
mm

AC4 32 CLASS
V GROOVE



bridging **nature and life**

FLOORPAN ARTFLOOR



N20
DIBEK OAK

10
mm

AC4 32 CLASS
V GROOVE



NATURAL

bridging **nature and life**

FLOORPAN ARTFLOOR



N16

ALTINKUM

NATURAL


10
mm

AC4 32 CLASS
V GROOVE




bridging **nature and life**


THE ADVANTAGES OF FLOORPAN LAMINATE FLOORING




FAST AND EASY ASSEMBLY




SUITABLE FOR UNDERFLOOR HEATING



RESISTANT TO UV RAYS




RESISTANT TO POINT STRIKES



ENVIRONMENTALLY FRIENDLY




BASE PANEL, HIGH DENSITY FIBERBOARD



RESISTANT TO CIGARETTE FIRE



RESISTANT TO SCRATCH



EASILY CLEANED AND MAINTAINED, HYGIENIC



NOT AFFECTED BY STAINS



RESISTANT TO FURNITURE WHEEL ABRASION



E1 GRADE

LAMINATE FLOORING CLASSIFICATION

CLASS	21	22	23	31	32	33	34
UTILIZATION	AC1A	C2	AC3		AC4	AC5A	C6
ABRASION RESISTANCE	≥ 500	≥ 1000	≥ 2000		≥ 4000	≥ 6000	≥ 8500
RESISTANCE TO STAINS	Min. 4 (group 1 and 2) Min. 3 (group 3)		Min. 5 (group 1 and 2) Min. 4 (group 3)			Min. 5 (group 1, 2 and 3)	



PALACE

FLOORPAN
Laminat Parke / Laminate Flooring

ARTFLOOR
Laminat Parke / Laminate Flooring



bridging **nature and life**

FLOORPAN ARTFLOOR



PL001

VERSAY

PALACE

10
mm

AC4 32 CLASS

bridging **nature and life**

FLOORPAN ARTFLOOR



PL002

PENA


PALACE

10
mm


AC4 32 CLASS

bridging **nature and life**


THE ADVANTAGES OF FLOORPAN LAMINATE FLOORING




FAST AND EASY ASSEMBLY




SUITABLE FOR UNDERFLOOR HEATING



RESISTANT TO UV RAYS




RESISTANT TO POINT STRIKES



ENVIRONMENTALLY FRIENDLY




BASE PANEL, HIGH DENSITY FIBERBOARD



RESISTANT TO CIGARETTE FIRE



RESISTANT TO SCRATCH



EASILY CLEANED AND MAINTAINED, HYGIENIC



NOT AFFECTED BY STAINS



RESISTANT TO FURNITURE WHEEL ABRASION



E1 GRADE

LAMINATE FLOORING CLASSIFICATION

CLASS	21	22	23	31	32	33	34
UTILIZATION	AC1A	C2	AC3		AC4	AC5	AC6
ABRASION RESISTANCE	≥ 500	≥ 1000	≥ 2000		≥ 4000	≥ 6000	≥ 8500
RESISTANCE TO STAINS	Min. 4 (group 1 and 2) Min. 3 (group 3)		Min. 5 (group1 and 2) Min.4 (group 3)			Min. 5 (group1,2,3)	

